
Blinds (Simplicity Blinds)

Contents

Simplicity Blinds

Joe Walker
joe@simplicityblinds.co.uk
16 Station Road
Irthlingborough
Northants
NN9 5SN
01933 594040



winvic

winvic.co.uk

Contents

Scope of Works

Certificates/Warranties/Guarantees

Cleaning and Maintenance Regimes


Data Sheets



winvic

winvic.co.uk

Scope of Works



winvic

winvic.co.uk



OPERATION & MAINTENANCE

Q 8229S (P23-027)

3rd June 2024 - 60 Roller Blinds

Site Details

P23-027

Gateway 14

Stowmarket

Suffolk



01933 594040



joe@simplicityblinds.co.uk



www.simplicityblinds.co.uk

NOTES

Blinds can be maintained as part of an annual service package.

For more information on a service package quotation email joe@simplicityblinds.co.uk

SERVICING

An annual service of the blinds is required, during this service all brackets will be checked, all moving parts visually inspected, cords and cables checked for chaffing and damage, blinds will be checked for fraying and run off.

MECHANICAL ROLLER BLINDS

Roller Blind 40mm self-lubricating system.
Powder Coated Steel brackets.
40mm Aluminium Tube

OPERATION

Hand Operated by chrome pull chain

PRODUCT DETAILS

- Fabric 1 Nova Blue (Light) FR 310-07 (dimming)
- Fabric 2 Navy Blue (Night) FR 311-08 (darkening)
- Warranty 12 months excludes stains to fabrics.

MAINTENANCE

The hardware is generally coated with low friction parts and requires no lubrication, can be wiped clean with a damp cloth.

The roller blind fabric can be wiped clean with a slightly damp cloth. Heavy soiling may require the fabric to be replaced.

The Chrome chain will require annual cleaning with a dry lint cloth to prevent oxide build up.



OPERATION & MAINTENANCE

Q 8429S

21st June 2024

P23-027 The Range,
Stowmarket



01933 594040



joe@simplicityblinds.co.uk



www.simplicityblinds.co.uk

NOTES

Blinds can be maintained as part of an annual service package.

For more information on a service package quotation email joe@simplicityblinds.co.uk

SERVICING

An annual service of the blinds is required, during this service all brackets will be checked, all moving parts visually inspected, cords and cables checked for chaffing and damage, blinds will be checked for fraying and slat damage.

89MM VERTICAL BLINDS

White powder coated headrail, ABS Top hangers and Sealed Bottom Weights. Chrome or plastic No 10 ball chain, Draw Cord operation.

OPERATION

Hand Operation. To alter the angle of the vanes, pull one 'leg' of the endless chain, or the other, until the required angle is reached. Traversing: Before traversing the vanes across the window they should be at right angles to the window, i.e. in the fully open position.

PRODUCT DETAILS

- Slat 89mm
- Colour Nova
- Warranty 12 months excludes Fabric Staining, tangled & knotted cords. Detached hangers caused by wind or overzealous operation.

MAINTENANCE

The hardware is generally coated with low friction parts and requires no lubrication, can be wiped clean with a dry cloth.

Slats can be cleaned by gently using a vacuum cleaner with a soft brush attachment to remove dust. To do this gently remove the fabric hanger from the hook lay the fabric on a flat surface and vacuum gently.

Reverse the process to remount the blinds.

Warranty: We recommended roller blinds as we thought vertical blinds would be unsuitable for this site.

We therefore cannot guarantee these blinds.

Certificates/Warranties/Guarantees


N/A



winvic

winvic.co.uk

Cleaning and Maintenance Regimes



winvic

winvic.co.uk

Simplicity Blinds Limited
Roller/Vertical Blinds

Cleaning and Maintenance Regimes

This maintenance schedule for **P23-027 The Range, Stowmarket** is to be followed from PC date **24/10/2024** year on year to ensure all plant and equipment is kept within warranty/


Please keep a log of these inspections so that records can be checked should an issue arise.

Code; ✓ Blue – Recommended ✓ Red – To Maintain Warranty

Item	Daily	Weekly	Monthly	3 Months	6 Months	9 Months	Annually	5 Yearly	Certificates	Regime
Control Chains/cords							X		N/A	Wipe With bleach free anti-bacterial cleaning wipe dry with tissue to remove oxide and dirt.
Fabric							X		N/A	Vacuum with a clean brush attachment.
Safety Device					X		X		N/A	Check Fitment/damage. Report to manufacturer any issues
Pulley/tilt mechanisms					X		X		N/A	Check Fitment and for play. Report to manufacturer any issues
Brackets					X		X		N/A	Check For loose brackets/play. Report to manufacturer any issues

Data Sheets

N/A



winvic

winvic.co.uk